CATALOGUE

MEDICINAL PLANTS, BARKS, ROOTS, SEEDS, FLOWERS AND SELECT POWDERS,

WITH THEIR

THERAPEUTIC QUALITIES AND BOTANICAL NAMES; ALSO,

PURE VEGETABLE EXTRACTS,

PREPARED IN VACUO;

OINTMENTS, INSPISSATED JUICES, ESSENTIAL OILS,

DOUBLE DISTILLED AND FRAGRANT WATERS, &c., &c.,

Raised, Prepared, and put up in the most careful manner, by the

UNITED SOCIETY OF SHAKERS,

AT NEW LEBANON, N. Y.

A blade of grass—a simple flower, Cull'd from the dewy lea; These, these shall speak with touching power, Of change and health to thee.

ORDERS ADDRESSED TO

EDWARD FOWLER, NEW LEBANON, N. Y.,

WILL MEET WITH PROMPT ATTENTION.

First Established in 1800.

BEING THE OLDEST OF THE KIND IN THE COUNTRY.

VAN BENTHUYSEN, PRINTER, ALBANY.



Choles 7 cm

ABBREVIATIONS AND DEFINITIONS OF TERMS.

ABBR	EVIATIONS.	DEFINITIONS.
Acr.	Acrid,	Caustic, having a hot, biting taste.
Alt.	Alterative,	Changing the morbid action of the secretions.
Ano.	Anodyne,	Mitigating pain, quieting.
Anth.	Anthelmintic,	Destroying worms, or expelling them from the
		bowels.
A-bil.	Antibilious,	Correcting the bilious secretions.
A-lith.	Antilithic,	Preventing the formation of calculous matter.
A-scor.	Antiscorbutic,	Useful in scurvy.
A-sep.	Antiseptic,	Preventing mortification.
A-spas.	Antispasmodic,	Relaxing spasms, calming nervous irritation.
Ape.	Aperient,	Gently purgative.
Aro.	Aromatic,	Fragrant, spicy.
Ast.	Astringent,	Producing contraction in the living tissues.
Bal.	Balsamie,	Unctuous, mitigating, healing.
Car.	Carminative,	Causing the expulsion of wind.
Cath.	Cathartic,	Cleansing the bowels, purgative.
Ceph.	Cephalic,	Medicinal to the head.
Dem.	Demulcent.	Lubricating, softening, mollifying.
Deo.	Deobstruent,	Having power to resolve viscidity.
Dia.	Diaphoretic,	Increasing the cutaneous discharge.
Diu.	Diuretic,	Acting on the kidneys, increasing the urine.
Dis.	Discutient,	Dissolving, discussing.
Eme.	Emetic,	Producing vomiting.
Emo.	Emollient,	Sheathing, softening, causing warmth and
		moisture.
Emm.	Emmenagogue,	Promoting menstruation.

Expectorant, Augmenting and promoting the discharge from

the lungs.

Exp.

ABBREVIATIONS. DEFINITIONS.

Feb. Febrifuge, Expelling and allaying fever.

Her. Herpetic, Curing cutaneous diseases.

Lax. Laxative, Gently cathartic.

Muc. Mucilaginous, Glutinous, lubricating.

Nar. Narcotic, Relieving pain, stupefying, producing sleep.

Ner. Nervine, Strengthening the nerves.

Pec. Pectoral, Beneficial in diseases of the chest.

Ref. Refrigerant, Diminishing animal temperature, cooling.

Rub. Rubefacient, Producing inflammation and redness of the skin.

Sec. Secernant, Separating substances in the body.

Sed. Sedative, Depressing the vital powers.
Sial. Sialagogue, Increasing the flow of saliva.

Sti. Stimulant, Increasing action.

Sto. Stomachic, Strengthening the stomach.

Sty. Styptic, Arresting bleeding.
Sud. Sudorific, Producing sweat.

Ton. Tonic, Permanently strengthening.

Ver. Vermifuge, Expelling or destroying worms.

Vul. Vulnerary, Useful in the cure of wounds.

CATALOGUE.

Abcess root,	Common names.	Price.	Botanical names.	Properties.
Aconite leaves,	Abcess root	.\$1 00	Polemonium reptans.	Ast. Sud. Feb.
do root, 1 00				
Ander bark, black, 0 25 do do Bacca, do red or tag, 0 25 Alum root, 0 50 Archangelica atropurpurea, Aro. Car. Emm. Armica flowers, 0 50 do do Radix, Aro. Car. Pec. Ast. Ton. Bal. Arnica montana, archangelica atropurpurea, Aro. Car. Pec. Ast. Ton. Ast. Ton. Bal. Arnica montana, archangelica atropurpurea, Aro. Car. Pec. Ast. Ton. Bal. Sto. Dia. Sud. Aro. Sti. Aro. Ast. Ton. Bal. Sto. Dia. Sud. Asparagus officinalis, Geom rivale, Geum rivale,			do do Radix,	
Ander bark, black, 0 25 do do Bacca, do red or tag, 0 25 Alum root, 0 50 Archangelica atropurpurea, Aro. Car. Emm. Armica flowers, 0 50 do do Radix, Aro. Car. Pec. Ast. Ton. Bal. Arnica montana, archangelica atropurpurea, Aro. Car. Pec. Ast. Ton. Ast. Ton. Bal. Arnica montana, archangelica atropurpurea, Aro. Car. Pec. Ast. Ton. Bal. Sto. Dia. Sud. Aro. Sti. Aro. Ast. Ton. Bal. Sto. Dia. Sud. Asparagus officinalis, Geom rivale, Geum rivale,			Agrimonia eupatoria.	Ast. Ton. Dia.
do berries, black 0 50 do do Bacca, dalum serrulata, Ast. Deob. Ton. Alum root,			Prinos verticillatus, Deo.	Ast. Ton. A-sep.
do red or tag,				
Alum root,				Ast. Deob. Ton.
Angelica leaves,				
Angelica root, 0 50 Angelica seeds, 0 25 Angelica seeds, 0 25 Angelica seeds, 0 25 Angelica seeds, 0 25 Appletree bark, 0 40 Archangel, 0 50 Arnica flowers, 0 50 do root, 0 75 Ash bark, Mountain 0 56 do bark, Prickly, 0 50 do bark, White, 0 40 Asparagus root, 0 75 Balm, Lemon, 0 50 Backache brake, 0 50 Balm of Gilead buds Balsam, Sweet, 0 50 Balm of Gilead buds Balsam, Sweet, 0 50 Baswood bark, 0 35 Barberry bark, 0 50 Basswood bark, 0 35 Barberry bark, 0 50 Basswood bark, 0 38 Bayberry bark, 0 50 Beech bark, 0 30 do leaves, 0 40 Belladonna leaves, 0 75 Bellwort, 0 75 Benne leaves, 1 00 Sesamum indicum, Aro. Car. Emm. Aro. Car. Emm. Aro. Car. Pec. Aro. Sti. Car. Emm. Aro. Sti. Car. Emm. Aro. Sti. Car. Emm. Aro. Sti. Car. Emm. Aro. Sti. Aro. Ast. Ton. Ast. Ton. Ast. Ton. Det. Sti. Aro. Ast. do Ast. Ton. App. Diu. Ton. Ast. Sto. Dia. Sud. Aro. Sto. Dia. Sud. Aro. Sto. Dia. Ball. Sto. Sto. Dia. Sud. Aro. Sti. Ast. Aro				
Angelica seeds, 0 25 Anise seed, 24 Anise seed, 25 Appletree bark, 0 40 Archangel, 0 50 Armica flowers, 0 50 Ash bark, Mountain 0 56 do bark, Prickly, 0 50 do bark, Prickly, 0 50 do bark, White, 0 40 Asparagus root, 0 75 Backache brake, 0 75 Balm, Lemon, 0 50 Basswood bark, 0 35 Barberry bark, 0 50 Basswood bark, 0 36 Basyberry bark, 0 25 Basyberry bark, 0 25 Basech bark, 0 30 do leaves, 0 40 Belladonna leaves, 0 75 Bellwort, 0 75 Belmort, 0 75 Bellwort, 0 75 Bellwort, 0 75 Bellwort, 0 75 Bellwort, 0 75 Benne leaves, 1 00 Sesamum indicum, Archangelica atropurpurea, Aro. Sti. Car. Aro. Car. Pecc. Ast. Ton. Ast. Ton. Ast. Ton. Ast. Ton. Adv. Ast. Ton. Bal. Vul. Sti. Diu. Dia. Ast. Ton. Det. Sti. Aro. Ast. Ton. Asparagus officinalis, Geum rivale, Asplenium filix-fæmina, Melissa officinalis, Graphalium polycephalum, Berberis vulgaris, Graphalium polycephalum, Berberis vulgaris, Graphalium polycephalum, Ast. Sto. Dia. Sud. Basyberry bark, 0 25 Basyberry bark, 0 25 Beech bark, 0 30 do leaves, 0 40 Belladonna leaves, 0 75 Bellwort, 0 75 Benne leaves, 1 00 Sesamum indicum, Ast. Alt. Nar. Ano. Berne. Lax.				
Anise seed,				
Appletree bark, 0 40 Pyrus malus, Ast. Ton. Archangel, 0 50 Lycopus sinuatus, Ast. Ton. Arnica flowers, 0 50 Arnica montana, Vul. Sti. Diu. do root, 0 75 do do Radix, Ast. Ton. Ash bark, Mountain 0 56 do do Radix, Ast. Ton. Ash bark, Mountain 0 56 Vyrus americana, Ast. Ton. do bark, Prickly, 0 50 Kanthoxylum americanum, Ast. Ton. do berries, do 1 100 do Go Asparagus root, 60 Asparagus root, 0 75 Asparagus officinalis, Ast. Ton. Avens root, 0 60 Geum rivale, Ast. Ton. Balm, Lemon, 0 50 Melissa officinalis, Pec. Dem. Mol Sweet, 0 50 Dracocephalum canariense, Sto. Dia. Balm of Gilead buds Balsam, Sweet, 0 35 Berberis vulgaris, Bal. Sto. Barberry bark, 0 50 Ocymum basilicum, Aro. Sti. Aro. Sti. Basswood bark, 0 38 Myrica cerifera, Aro. Sti.				
Archangel,				
Arnica flowers,				Ast. Ton. Bal.
do root, 0 75				Vul. Sti. Diu.
Ash bark, Mountain 0 56 do bark, Prickly, 0 50 do bark, Prickly, 0 50 do bark, White, 0 40 Asparagus root, 0 75 Asparagus officinalis, Avens root, 0 60 Backache brake, 0 50 Balm, Lemon, 0 50 do Sweet, 0 50 Balsam, Sweet, 0 35 Barberry bark, 0 50 Basswood bark, 0 38 Bayberry bark, 0 25 Basbery bark, 0 25 Basbery bark, 0 30 Goynum basilicum, Balsam, Sweet, 0 35 Barbery bark, 0 36 Basbery bark, 0 37 Basbery bark, 0 38 Bayberry bark, 0 38 Bayberry bark, 0 38 Bayberry bark, 0 39 Goynum basilicum, Tilia americana, Myrica cerifera, Fagus ferruginea, do Goynum basilicum, Tilia americana, Ast. Ton. Det. Sti. Aro. Ast. Ast. Ton. Ast. Ast. Ton. Ast. Sto. Pec. Dem. Sto. Dia. Sud. Aro. Sto. Dia. Bal. Sto. Sto. Sud. Sed. Ton. Ref. Ast. Ton. Ref. Ast. Aro. Sti. Ast. Aro. Sti. Ast. Aro. Sti. Ast. Aro. Sti. Ast. Ast. Ton. Ast. Alt. Nar. Ano. Her. Dem. Dem. Lax.				Sti. Diu. Dia.
Ast. Aro. Ast. do				Ast. Ton. Det.
do berries, do				Sti. Aro. Ast.
do bark, White,				do
Asparagus root, 0 75 Asparagus officinalis, Geum rivale, Asplenium filix-faemina, Ball sto. Dracocephalum canariense, Populus balsamifera, Gnaphalium polycephalum, Bell sals, Sto. Sud. Sed. Ton. Ref. Ast. Assl. Sud. Sed. Ton. Ref. Ast. Assl. Sud. Sed. Ton. Ref. Ast. Aro. Sti. Ast. Aro. Sti. Ast. Aro. Sti. Ast. Ton. Go. Go. Go. Go. Go. Go. Go. Go. Go. Go			Fraxinus americana,	Ast. Ton.
Avens root,				Ape. Diu.
Backache brake, 0 75 Asplenium filix-fæmina, Pec. Dem. Balm, Lemon, 0 50 Melissa officinalis, Sto. Dia. Sud. do Sweet, 0 50 Dracocephalum canariense, Boll Balm of Gilead buds Populus balsamifera, Bal. Sto. Balsam, Sweet, 0 35 Gnaphalium polycephalum, Sto. Sud. Sed. Barberry bark, 0 50 Ocymum basilicum, Aro. Sti. Acr. Sti. Basswood bark, 0 38 Myrica cerifera, Emo. Dis. Bayberry bark, 0 25 Myrica cerifera, Aro. Sti. Ast. Beech bark, 0 30 fagus ferruginea, Ast. Ton. do leaves, 0 40 do folium, Ast. Alt. Bellwort, 0 75 Uvularia perfoliata, Nar. Ano. Bellwort, 0 75 Uvularia perfoliata, Her. Dem. Belwort, 0 75 Sesamum indicum, Dem. Lax.			Geum rivale,	Ton. Ast. Sto.
Balm, Lemon,			Asplenium filix-fæmina,	Pec. Dem.
do Sweet, 0 50 Ball of Gilead buds Balsam, Sweet, 0 35 Barberry bark, 0 50 Bassil, Sweet, 0 50 Bassy od bark, 0 38 Bayberry bark, 0 25 Bayberry bark, 0 25 Beach bark, 0 30 do leaves, 0 40 Belladonna leaves, 0 75 Bellwort, 0 75 Benne leaves, 1 00 Sesamum indicum, Aro. Sto. Dia. Bal. Sto. Bals Sto. Ball Sto. Ball Sto. Ball Sto. Sto. Sto. Pall Sto. Sto. Sto. Pall Sto. Sto. Sto. Pall Sto. Sto. Sto. Pall Sto. Sto. Sto. Sto. Pall Sto. Sto. Sto. Pall Sto. Emo. Sti. Emo. Sti. Ast. Ast. Ton. Ast. Alt. Nar. Ano. Her. Dem. Lax.			Melissa officinalis,	Sto. Dia. Sud.
Balm of Gilead buds Balsam, Sweet,				Aro. Sto. Dia.
Barberry bark, 0 50 Berberis vulgaris, Ton. Ref. Ast.				Bal. Sto.
Barberry bark, 0 50 Berberis vulgaris, Ton. Ref. Ast. Basil, Sweet, 0 50 Ocymum basilicum, Aro. Sti. Basswood bark, 0 38 Tilia americana, Emo. Dis. Bayberry bark, 0 25 Myrica cerifera, Aro. Sti. Ast. Beech bark, 0 30 Fagus ferruginea, Ast. Ton. do leaves, 0 40 do folium, Ast. Alt. Belladonna leaves, 0 75 Atropa belladona, Nar. Ano. Bellwort, 0 75 Uvularia perfoliata, Her. Dem. Benne leaves, 1 00 Sesamum indicum, Dem. Lax.	Balsam, Sweet,	. 0 35	Gnaphalium polycephalum,	Sto. Sud. Sed.
Basil, Sweet,			Berberis vulgaris,	Ton. Ref. Ast.
Basswood bark, 0 38 Tilia americana, Emo. Dis. Bayberry bark, 0 25 Myrica cerifera, Aro. Sti. Ast. Beech bark, 0 30 Fagus ferruginea, Ast. Ton. do leaves, 0 75 Atropa belladona, Nar. Ano. Bellwort, 0 75 Uvularia perfoliata, Her. Dem. Benne leaves, 1 00 Sesamum indicum, Dem. Lax.			Ocymum basilicum,	Aro. Sti.
Bayberry bark, 0 25 Beech bark, 0 30 do leaves, 0 40 do do Folium, Belladonna leaves, 0 75 Bellwort, 0 75 Benne leaves, 1 00 Sesamum indicum, Aro. Sti. Ast. Ast. Ton. Ast. Alt. Nar. Ano. Her. Dem. Dem. Lax.			Tilia americana,	Emo. Dis.
Beech bark, 0 30 Fagus ferruginea, Ast. Ton. do leaves, 0 40 do do Folium, Ast. Alt. Belladonna leaves, 0 75 Atropa belladona, Nar. Ano. Bellwort, 0 75 Uvularia perfoliata, Her. Dem. Benne leaves, 1 00 Sesamum indicum, Dem. Lax.			Myrica cerifera,	Aro. Sti. Ast.
do leaves, 0 40 do do Folium, Belladonna leaves, 0 75 Atropa belladona, Bellwort, 0 75 Uvularia perfoliata, Benne leaves, 1 00 Sesamum indicum, Ast. Alt. Nar. Ano. Her. Dem. Dem. Lax.			Fagus ferruginea,	Ast. Ton.
Belladonna leaves, 0 75 Atropa belladona, Nar. Ano. Bellwort, 0 75 Uvularia perfoliata, Her. Dem. Benne leaves, 1 00 Sesamum indicum, Dem. Lax.			do do Folium,	Ast. Alt.
Bellwort, 0 75 Uvularia perfoliata, Her. Dem. Benne leaves, 1 00 Sesamum indicum, Dem. Lax.			Atropa belladona,	Nar. Ano.
Benne leaves, 1 00 Sesamum indicum, Dem. Lax.			Uvularia perfoliata,	Her. Dem.
			Sesamum indicum,	
	Beth root,		Trillium purpureum,	Ast. Ton. Pec.

Common names. Price.	Botanical names.	Properties.
Betony weed, \$0 50	Pedicularis canadensis,	Ner. Ton. Dis.
Birch bark, black, 0 25	Betula lenta,	Ton. Ast.
Bird peppers,	Capsicum baccatum,	Sti. Car. Rub.
Bitter root, 0 75	Apocynum androsæmifoli	
Bittersweet, false,	ripocy num androsæmitori	dili, 1011. Cauli. Dud.
bark of root, 0 75	Celastrus scandens,	A-bil. Dis. Diu.
Bittersweet berries, 0 50	do do Bacca	
Bittersweet herb, 0 50	Solanum dulcamara,	Herb. Deo. Alt.
Blackberry root, 0 25	Rubus villosus,	Ast. Ton.
Blazing Star root,	Aletris farinosa,	Ton. Sto. Nar.
Blood root, 0 50	Sanguinaria canadensis,	Dia. Deo. Exp.
Blue flag, 0 50	Iris versicolor,	Diu. Eme. Cath.
Boneset, 0 25	Eupatorium perfoliatum,	
Borage, 0 50	Borago officinalis,	Sto. Dia.
Boxwood bark, 0 50	Cornus florida,	Ton. Ast. Sti.
do flowers, 1 50	do do	do
Brooklime, 1 00	Veronica beccabunga,	Dis. Alt. Diu.
Buchu leaves,	Diosma crenata,	Sti. Diu. Dia.
Buck bean, 1 00	Menyanthes trifoliata,	Ton. Deo.
Buckhorn brake, 0 75	Osmunda spectabilis,	Muc. Dem.
Buckthorn berries,. 60	Rhamnus catharticus, Ba	acca, Cath.
Bugle, 0 50	Lycopus virginicus,	Pec. Deo. Ton. Sty.
Burdock leaves, 0 25	Lappa major, Folium,	Feb. Sud.
do root, 0 35	do do Radix,	Her. A-scor.
do seeds, 0 30	do do Semen,	Diu. Car. Ton.
Butternut bark, 0 25	Juglans cinerea,	Cath. Ton.
Canada Thistle root 0 60	Cirsium arvense,	Diu.
Cancer Root plant, 0 50	Epiphegus virginiana,	Ast. Ton.
Canker weed, 0 50	Nabalus albus,	Ast. Ton.
Caraway seed,	Carum carui,	Car. Aro.
Oardamon seed,	Eleterium cardamomum,	
Cardinal flow's, blue 0 75	Lobelia syphilitica,	Diu. Sud. Her. Deo.
do do red, 1 00	Lobelia cardinalis,	Ver.
Carduus, spotted, 0 50	Cnicus benedictus,	Dia. Diu.
Carrot leaves, wild, 0 50	Daucus carota,	Diu. Emm.
do seed, wild, 0 50	do do	Diu. Deo.
Catnip, 0 25	Nepeta cataria,	Sto. Car. Sud.
Celandine, garden, 0 50	Chelidonium majus,	Diu. Her.
do wild, 0 25	Impatiens pallida,	A-bil. Sto.
Centaury, low, 0 50	Hypericum mutilum,	Ast. Ton. Sto.
Chamomile flowers,	Anthemis nobilis,	Ton. Feb. Sud.
do low, 0 75	do do	Ton. Stom.
Chickwood	Prunus virginiana,	Ast. Ton. Sed.
Chickweed, 0 50 Cicely, sweet, 1 00	Cerastium vulgatum,	Emo. Ref.
Cicely, sweet, 1 00 Cicuta leaves, 0 25	Osmorrhiza brevistylis,	Car. Aro.
Clary, 0 50	Conium maculatum,	Nar. Deo.
Oleavers, 0 50	Salvia selara,	Sti. Sto.
Clover heads, red, 0 50	Galium aparine,	Diu. Sud.
Cocash root, 0 50	Trifolium pratense. Aster puniceus,	Pec. Acr.
0 00	rister puniceus,	Sud. Sti. Sto.

Common names. Price.	Botanical names. Properties.	
Cuckold, \$0 50	Bidens frondosa, Ast. Diu. Ca	ar.
Cohosh, black, 0 50	Cimicifuga racemosa, Deo. Na	
do blue, 0 30	Leontice thalictroides, A-spas. S	
do red, 0 50	Actæa rubra, Deo. Ner. Em	
do white, 0 50	Actæa alba, Car. Deo. Na	
Columbo root, 0 30	Frasera caroliniensis, Ton. Cath. En	
Coltsfoot, 0 35	Tussilago farfara, Exp. Pec. De	
Comfrey root, 0 40	Symphytum officinale, Pec. Dem. B	
Consumption brake, 1 50	Betrychium lunarioides, Sti. To	
Coolwort, 0 30	Tiarella cordifolia, Diu. To	
Coriander seed, 0 30	Coriandrum sativum, Car. S	
Cowparsnip leaves, 0 50	Heracleum lanatum, Fol., Ner. Car. D	
	do do Rad., do	
do root, 0 50 do seeds, 0 75	do do Sem., Car. A	ro.
Cramp bark, 0 50	Viburnum tantanoides, A-sp.	
Cranesbill, 0 50	Geranium maculatum, Sty. Ast. To	
Crawley,	Corallorhiza odontorhiza, Bal. S	
Culver's root, 1 00	Leptandra virginica, Cath. Diu. To	
Daisy flowers, 0 25	Leucanthemum vulgare, Diu. V	
Dandelion herb, 0 25	Taraxacum dens-leonis, A-bil. Ast. To	
do root, 0 50	do do Deo. Diu. Ast. To	
Dill seed,	Anethum graveolens, Car. Sto. A	
Dittany, 0 50	Cunila mariana, Ner. Si	
Dock Yellow, 0 36	Rumex crispus, Ton. Deo. H	
do Water, 0 50	R. hydrolapathum, Ast. Dia. Deo. H	
Elecampane, 0 25	Inula helenium, Exp. Ast. S	
Elder bark, 0 50	Sambucus canadensis, Diu. Deo. Sud. H	
do flowers,	do do Alt. Sud. H	
do dwarf, 0 50	Aralia hispida, Dia. Ton. Diu. De	
Elm bark, Slippery,	Ulmus fulva, Emo. Diu. Dem. T	
do ground, 0 30	do do do do	
do flour, 0 50	do do do do	
do superfine, 0 75	do do do do	
Euphorbia, 1-50	Euphorbia ipecacuanha, Eme. Cath. T	on.
Fennel seed,	Anethum fœniculum, Car. S	
Fern, Male, 0 50	Aspidium filix.mas, Ver. Ton. A	st.
do Sweet, 0 25	Comptonia asplenifolia, Sto. A	
Fever bush, 0 50	Benzoin odoriferum, Aro. Sto. S	
Feverfew, 0 50	Pyrethrum parthenium, Ner. S	sto.
Fever root, 0 50	Triosteum perfoliatum, Cath. T	on.
Fire weed, 0 50	Erechthites hieracifolia, Ton. Ast. A	Alt.
Fit root, 2 00	Monotropa uniflora, Ner. A-sp	oas.
Five finger, 0 50	Potentilla canadensis, Ast. Emm. I	Em.
Fleabane, 0 30	Erigeron canadensis, Ton. Ast. I	diu.
Flower-de-luce, 0 50	Iris sambucina, Diu. I)eo.
Fox glove, 0 38	Digitalis purpurea, Diu. Nar. I	dia.
Frostwort, 0 50	Helianthemum canadense, Ast. T	on.
Fumitory, 0 75	Fumaria officinalis, Deo. Dia. I	diu.
Garget, 0 25	Phytolacca decandra, Deo. Cath.	Alt.
Garlick,	Allium sativum, Sti. Exp. 7	
*1		
1		

Common names. Price.	Botanical names.	Properties.
Gentian, \$0 25	Gentiana lutea,	Ton. Sto. Act.
Ginseng,	Panax quinquefolia,	Sial. Ner. Sti.
Gold thread, 1 25	Coptis trifolia,	Sto. Ton. Ast.
Golden rod, 0 50	Solidago odora,	Car. Aro. Diu.
Golden seal, 0 50	Hydrastis canadensis,	Ton. A-bil. Sto.
Gravel plant, 0 50	Epigæa repens,	Dia. Dem.
Hardhack leaves, 0 38	Spiræa tomentosa,	Ast. Ton.
Heal-all, 0 75	Prunella vulgaris,	Ast.
Hearts-ease, 0 50	Polygonum persicaria,	Sud.
Hellebore, black, 0 75	Helleborus niger,	Diu. Cath.
do white, 0 75	Veratrum viride, E	me. Cath. Nar. Ner.
Hemlock bark, 0 25	Abies canadensis,	Ast. Ton.
do leaves, 0 25	do do	Dia. Alt. Sud.
Henbane, black, 0 75	Hyoscyamus niger,	Ner. Nar.
Hoarhound, 0 40	Marrubium vulgare,	Sto. Pec. Deo.
Hollyhock flowers, . 0 75	Althæa rosea,	Ast. Dem.
Hop,	Humulus lupulus,	Ano. Ton. Aro.
Horsemint, 0 50	Monarda punctata,	Diu. Ton.
Horseradish leeves, 0 25	Cochlearia armoracia,	Acr. Sti.
do root, 0 50		ad., do
Hyssop, 0 50	Hyssopus officinalis,	Exp. Ceph.
Indian hemp, black, 0 75	Apoeynum cannabinum,	Eme. Cath. Ton. Diu.
do white, 0 75	Asclepias incarnata,	Ape. Diu. Alt.
Indian turnip, 0 50	Arum triphyllum,	Sti. Exp. Aro. Nar.
Indigo, wild, 0 50	Baptisia tinctoria,	A-sep. Ton. Dia.
Ipecac, American,	Cillania stimula sas T	- Coth Ton Eve
or Indian physic, §	Gillenia stipulacea, E	me. Cath. Ton. Exp.
Ivy, ground, 0 50	Glechoma hederacea,	Dem. Sto. Ton.
Jacob's ladder, 0 50	Smilax herbacea,	Diu. Sial.
Job's tears, per doz. 1 50	Coix lachryma,	Diu.
Johnswort, 0 25	Hypericum perforatum,	
Juniper berries, 0 25	Juniperus communis,	Diu. Car. Sti.
King's clover, 0 50	Melilotus leucantha,	Emo. Dis.
Knot grass, 0 50	Polygenum aviculare,	Diu. Ner. Car.
Labrador tea, 0 40	Ledum latifolium,	Diu. Bal.
Ladies' slipper, 0.75	Cypripedium pubescens,	
Ladies' sorrel, 1 00	Oxalis stricta,	Ref. A-sep. Diu.
Larkspur herb, 0 50	Delphinium consolida,	Nar. Acr.
do seed,	do do	Diu. Nar. Acr.
Laurel leaves, 0 50	Kalmia latifolia,	Her. A-sep.
Lavender,	Lavendula spica,	Car. Pec. Ner.
Lettuce, Garden, 0 50	Lactuca sativa,	Diu. Ano.
do Wild, 0 50	Lactuca elongata,	Diu. A-scor. Nar.
Life root, 0 75	Senecio aureus,	Diu. Feb. Aro. Stom.
Lily, White Pend, 0 50	Nymphæa odorata,	Pec. Emo. Ast. Ton.
do Yellow Pond, 0 50	Nuphar advena,	do do
Linden flowers,	Tilia americana,	Sud. A-spas. Ner.
Liquorice root,	Glycyrrhiza glabra,	Dem. Exp. Lax.
Liverwort, 1 00	Hepatica triloba,	Ast. Dem. Pec. Deo.
Lobelia herb, 0 40	Lobelia inflata,	Eme. Diu. Exp.

Common names. 1	Price.	Botanical names.	Properties.
Lobelia seed,	5	Lobelia inflata,	Eme. Diu. Exp.
Lovage leaves,		Ligusticum levisticum,	Car. Sto. Emm.
do root,		do do	Dia. Car. Stom.
do seeds,	0 50	do do	do do
Lungwort,		Pertusaria faginea,	Pec. Sto. Dem.
Maidenhair,	0 40	Adiantum pedatum,	Exp. Car. Sto.
Mallow, low,	0 25	Malva rotundifola,	Dem. Pec.
do marsh, leaves		Althea officinalis,	Dem. Ast.
do do root,.		do do	Emo. Dem. Ast.
Man root,	0 50	Convolvulus panduratus,	
Mandrake root,	0 50	Podophyllum peltatum,	
Maple, red or soft,.	0 50	Acer rubrum,	Ton. Ast.
do striped,	0 50	Acer striatum,	Ver. Ton.
Marigold flowers,	0 75	Calendula officinalis,	Sto. Aro.
Marjoram, sweet,	0 75	Marjorana hortensis,	Ton. Sto. Aro.
Marsh rosemary,	0 50	Statice limonium,	Ast. A-sep.
Masterwort leaves,.	0 50	Heracleum lanatum,	Ner. Car. Diu.
do root,	0 50	do do	do do
do seeds,		do do	do do
Mayweed,	0 25	Maruta cotula,	Sud. Dia. Sto.
Meadowsweet,	0 50	Spiræa salicifolia,	Ton. A-sep. Feb.
Mezeron, Nett,		Daphne mezereum,	Dia. Sti.
Milkweed root,	0 50	Asclepias cornuti,	Diu. Ano. Sud.
Monarda,	0 50	Monarda punctata,	Diu. Sto. Ton.
Moosewood bark,	0 50	Direa palustris,	Dia. Sti.
Motherwort,	0 25	Leonorus cardiaca,	Ner. Sto. Emm.
Mountain dittany, .	0 50	Cunila mariana,	Sti. Ton. Ner. Sud.
Mountain mint,	0 38	Origanum vulgare,	Sud. Sto. Aro.
Mouse ear,	0 50	Gnaphalium uliginosum,	Sud. Stom.
Mugwort,	0 50	Artemisia vulgaris,	Deo. A-bil. Ner.
Mullein herb,	0 25	Verbascum thapsus,	Ano. Dem. Ast.
Mustard seed, black		Sinapis nigra,	Diu. Rub. Sti. Eme.
do do white		Sinapis alba,	A scor. Sti. Rub.
Nanny-bush bark,.	0 50	Viburnum lentago,	Ton.
Nettle flowers,	0 50	Urtica dioica,	do
do root,	0 50	do do .	Ast. Ton.
Nightshade, deadly,	0 75	Atropa belladona,	Nar. Ano.
Oak bark, black,	0 25	Quercus tinctoria,	Ast. Ton.
do red,	0 25	do rubra,	Ast. Sti. Ton.
do white,	0 25	do alba,	Ast. Ton. A-sep.
Oak of Jerusalem,.	0 50	Chenorodium botrys,	Ver. Sto. Emm.
Orange peel, Nett,.		Citrus aurantium,	Ton. Sto.
Osier bark, green,	0 40	Cornus circinata,	Ast. Deo. Ton.
Oswego tea,	0 50	Monarda didyma,	Sti. Sto. Ton. Feb.
Pappoose root,	0 50	Leontice thalictroides,	Deo. Nar. Emm.
Parilla, yellow,	0 50	Menispermum canadense	, Ton. Lax. Alt.
Parsley leaves,	0 50	Apium petroselinum,	Dem. Diu.
do root,	0 50	do do	Ape. Dem. Diu.
do seeds,	1 00	do do	Diu. Dem.
Peach bark,	0 50	Amygdalus persica,	Cath. Ton. Sto.

Common names. Price.	Botanical names. Properties.
	T7 M T
Peach leaves,\$0 50 do pits, 1 00	Amygdalus persica, Ver. Ton. Lax. do do Ton. Sto.
do pits, 1 00 Pennyroyal, 0 25	Hedeoma pulegiodes, Car. Sti. Sto. Aro.
Peony flowers, 0 50	Pæonia officinalis, Ner.
do roots, 0 75	To Tr
Peppermint, 0 25	Mentha piperita, Sto. Sti. Sud.
Pilewort, 0 50	Amaranthus hypochondriacus, Ast. Her.
Pine bark, white, 0 25	Pinus strobus, Sti. Diu. Lax. Pec.
Plantain leaves, 0 38	Plantago major, Ref. Vul. A-sep. Det.
Plantain, bitter, or ?	
Gall of the earth,	Gentiana quinqueflora, Det.
do spotted, 0 60	Goodyera pubescens, Det.
Pleurisy root, 0 60	Asclepias tuberosa, Dia. Sud. Aro.
Poke berries, 0 50	Phytolacca decandra, Deo. Alt. do do Folium, do dv do Radix, Deo. Cath. Alt.
do leaves, 0 50	do do Folium, do
do root, 0 25	dy do Radix, Deo. Cath. Alt.
Polypody, 0 50	dy do Radix, Deo. Cath. Alt. Polypodium vulgare, Pec. Dem. Cath. Punica granatum. Populus tremuloides, Ton. Alt. Papaver somniferum, do do Folium, do do Petals, Chimaphila umbellata, do Diu. Sti.
Pomegranate,	Punica granatum. Ast. Ton.
Poplar bark, 0 25	Populus tremuloides, Ton. Alt.
Poppy capsules, 0 30	Papaver somniferum, Nar. Ano.
do leaves, 0 38	do do Follum, do
do flowers, Princes pine, 0 40	Chimaphila umballata Din Sti
Queen of the meadow	Onimaphita amberiata, Dia. Sti.
do herb, 0 30	
do root, 0 50	Eupatorium purpureum, do do Radix, do Stillingia sylvatica, Cath. Alt. A-sep. Rubus strigosus, Pteris atropurpurea, Sec. Ast. Ton.
Queen's delight, 0 75	Stillingia sylvatica. Cath. Alt. A-sep.
Raspberry leaves, 0 25	Rubus strigosus, Ast. Ton.
Rock brake 0 50	Pteris atropurpurea, Sec. Ast. Ton.
Roman wormwood, 10 25	
or Rag weed, 5 0 23	Ambrosia artemisæfolia, Sti. Ton. Ver.
Rose, damask,	Rosa damascena, Ast. Ton.
do red,	Rosa gallica, Ast. Ton.
Rose willow, 0 40	Cornus sericea, Ast. Ton.
Rosemary flowers,.	Resmarinus officinalis, Ast. Ton.
do leaves, 0 20	Cornus sericea, Resmarinus officinalis, do do Folium, Ast. Ton. Ast. Ton. Ast. Ton.
Rue, 0 50	Ruta graveolens, Ton. Diu. Sto. Carthamus tinctorius, Diu. Sto. Aro. Salvia officinalis, Sud. Sto. Bal.
Saffron,	Carthamus tinctorius, Diu. Sto. Aro.
Sage,	Salvia officinalis, Sanicula marilandica, Eupatorium ageratoides, Aralia pudicaulis
do do white, 0 59	Eupsterium agarateides Des Ct. Tes
Sarsaparilla, Am.,.	Aralia nudicaulis Alt Dam Dan
Sassafras, 0 50	Aralia nudicaulis, Sassafras officinale, Sti. Ape. Ton. Alt.
do pith,	do do Dem. Muc.
Savin, 0 85	Juniperus communis, Sti. Emm. Deo. Acr.
Scabious, 0 25	Erigeron philadelphicum, Diu. Sud. Her.
do sweet, 0 25	Erigeron annuum. Din Sud
Scabish, 0 25	Enothera biennis, Dem. Sto.
Scrofula plant, 0 50	Enothera biennis, Dem. Sto. Serophularia nodosa, Deo. Ton. Scutellaria laterifolia, Ton. Sud. Ner.
Scullcap, 0 75	Scutellaria laterifolia, Ton. Sud. Ner.

Common names. Price.	Botanical names. Properties.
Scurvy grass,\$0 25	Cochlearia officinalis, Sti. Ape. Diu.
Senna, Am., 0 30	Cassia marilandica, Cath. Diu. Deo.
Side-saddle plant,	Sarracenia purpurea, Cath. Deo.
Skunk cabbage root 0 40	Symplocarpus fœtidus, A-spas. Ver. Acr.
Snakehead, 0 25	Chelone glabra, A-bil. Ton. Ver.
Snakeroot, Button, 0 50	Liatris spicata, Sti. Diu. Bal.
do Canada,	Asarum canadense, Her. Aro. Ner.
do Rattle,.	Goodyera pubescens, Det.
do Seneca,	Polygala senega, Sti. Exp. Dia.
do Virginia	Aristolochia serpentaria, Ton. Dia. Sud.
Soapwort, 0 50	Saponaria officinalis, Alt. Ton.
Solomon's seal, 0 50	Polygonatum giganteum, Ast. Dem. Bal.
do small, 0 50	Smilacina racemosa, Dem. Ast.
Sorrel, sheep,	Rumex acetosella, Ref. A-scor. Ton.
do wood,	Oxalis acetosella,
Southernwood, 0 50	Artemisia abrotanum, Sti. Ton. Ner. Det.
Spearmint, 0 25	Mentha viridis, Feb. Diu. A-eme.
Speedwell, Virginia, 1 00	Veronica officinalis, Diu. Dia. Exp.
Spikenard,	Aralia racemosa, Pec. Bal. Sto.
Spleenwort, 0 75	Asplenium angustifolium, Diu.
Spurred rye,	Acinula, Nar.
Squaw yine, 0 50	Mitchella repens, Diu. Emm.
Squaw weed, 0 50	Senecio obovatus, Her. Acr.
Star flower, 0 50	Aster novæ-angliæ, Her. Sto. Ner.
Stone root, 0 30	Collinsonia canadensis, Diu. Sto.
Strawberry leaves, 0 25	Fragaria virginiana, Ast. Feb. Ref.
do vines, . 0 50	do do do do
Succory, 0 25	Cichorium intybus, Ton. Ape. Deo.
Sumach bark, 0 25	Rhus glabra, Cort., Ast. Ton.
do berries, 0 25	do do Bacca, Ast. Ref. Diu.
do leaves, 0 25	do do Folium, Ast. Ton. Diu.
Summer savory, 0 40	Satureja hortensis, Sto. Aro.
Sunflower, wild, 0 50	Helianthus divaricatus, Car. A-spas. Lax.
Sweet or King's clover	Melilotus leucantha, Emo. Dis.
Sweet flag,	Acorus calamus, Aro Sto.
Sweet-gale burrs, 0 75	Myrica gale, Ast. Aro. Her.
do herb, 0 50	do do Herba, Pec. Ast. Aro.
Tamarack bark, 0 25	Larix americana, Ape. Exp. Bal.
Tanzy, double, 0 25	Tanacetum vulgare, Sud. Emm. Ver. Sto.
Thimble weed, 0 50	Rudbeckia laciniata, Diu. Ton.
Thornapple leaves, 0 40	Datura stramonium, Nar. Acr.
do seeds, 0 30	do do Semen, Nar. Acr.
Thyme, 0 50	do do Semen, Nar. Acr. Thymus serpyllum, Ton. Sto. Aro. Sud. A-spas. Ner. Sud. A-spas. Ner.
Tilia flowers,	Tilia americana, Sud. A-spas. Ner.
Turkey pea, 1 50	(Coryuans) dicentra canadensis, 10n. Diu. Art.
Unicorn root, 1 50 Uva Ursi, 0 25	Chamælirium luteum, Ton. Sto.
	Arctostaphylos uva ursi, Diu. Ast. Ton.
	Cypripedium pubescens, Sud. Ner. Ano.
do English, 0 25	Valeriana officinalis, Ner. Ano. Sti.
Vervian, 0 25	Verbena hastata, Sud. Ton.

Common names.	Price.	Botanical names.	Properties.
Violet, blue,	.\$0 50	Viola cucullata,	Dem. Sud. Ton. Lax.
do canker,		Viola rostrata,	Dem. Ton.
Virgin's bower,		Clematis virginiana,	Sti. Nor.
Wa-a-hoo bark,.		Euonymus atropurpure	us, Cath. Exp.
Walnut bark,		Carva alba,	Ton. Sty. Ner. Ton. Dem. Ref.
Water cup,		Sarracenia purpurea,	Ner. Ton.
Watermelon seed,		Cucurbita citrullus,	Dem. Ref.
Water pepper,		Polygonum hydropiper	Sti. Arc.
Whitewook bark,		Liriodendron tulipifera	
Wickup,		Epilobium angustifoliu	m, A-sep. Eme. Ast.
·Wild turnip,		Arum triphyllum.	Sti. Exp. Acr. Nar.
Willow, pussy,		Salix candida,	A-sep. Ast.
do white,	0 40	Salix alba,	Ton. Ast.
Wintergreen,	0 40	Gaultheria procumbens	Sti. Diu. Sto. Emm.
Witch-hazel bark	,. 0 30	Hamamælis virginica,	Ton. Ast. Her.
do leave	es, 0 30	do do	de do
Wormseed,	0 40	Chenopodium anthelmi	
Wormwood,	0 40	Artemisia absynthium,	Ton. Sti. A-bil.
Yarrow,	0 25	Achillea millefolium,	Ast. Sto. Det.

N. B. An extra charge of $12\frac{1}{2}$ cents the pound for packing in ounce packages.

PULVERIZED SWEET HERBS.

For culinary and other purposes, as,

Sage, Thyme, Summer Savory, Sweet Marjoram.

PARTICULAR ATTENTION will be paid to drying and grinding of these, so as to preserve their aroma and strength. And they will be coarsely ground, or pulverized fine, as may be directed, by the new plan used in the best French Drug-mills. WARRANTED PURE.

PURE VEGETABLE EXTRACTS.

It is a matter of eminent importance to the interested and benevolent physician, to be able to calculate with certainty, on the effect of any drug or medicine he may administer. This he cannot do, unless he be able to judge of its purity, condition, and carefulness of preparation. Perhaps no class of medicines present so many difficulties, and certainly none which have given such universal dissatisfaction on this point as Vegetable Extracts; and some of our best physicians have nearly abandoned their use on this account.

This is not surprising, when we consider the rude and imperfect means generally employed for evaporating, and the want of suitable knowledge and carefulness in the whole process of manufacture. Indeed, it requires much experience and consummate skill, in addition to the most perfect apparatus, to produce extracts that will be uniform and certain in their effect—as much depends on the freshness of the vegetable operated upon, maturity, season of collection, and influence of climate.

To remedy the difficulties complained of, and furnish the profession with the article they so earnestly requested of us—pure and reliable extracts—we have directed our attention to this end, and spared no expense to procure the best information and conveniences for the purpose. Our former experience and observations, of thirty years, have been of value; and the possession of large botanic gardens gives us important advantages in the collection and freshness of the vegetables.

Having built a new Laboratory, and furnished it with very complete fixtures for the various manipulations, among which is a vacuum pan for evaporation, embracing the late improvements of Benson and Day, and others peculiarly our own, built expressly for the purpose, we have succeeded in producing extracts which meet the approval of the faculty, from whom we are receiving very flattering encomiums of praise.

Professor Proctor says—" Extracts ought to be composed of a number of chemical constituents, or proximate vegetable principles, EDUCED, and not produced, during the process of evaporation." This has been our aim; and although we are aware "the quality of the product depends less upon the means adopted for extracting the soluble matter from the vegetable substances operated upon, than upon those by which the inspissation is effected," yet we have found it important so far to acquaint our-

elves with the chemical constituents and nature of the principles consained in the drugs, their solubility, their relations to heat and air, their tvolatility, &c., as to be able on all occasions to adopt the menstruum best calculated to remove the greatest amount of Active matter, and so control the evaporation, that it may not be injured by heat or lost by volatilization.

It has been a matter of controversy among apothecaries and pharmaceutists whether it was wise, in the inspissated juices, to retain the chlorophyl and albumen, so as to preserve the green color, as an index of its careful preparation; but the well conducted experiments of M. Solon have proved them to be nearly inert. Hence, their presence only tends to enfeeble the proper extract; and by the recommendation of Professor W. Proctor, of Philadelphia, we shall hereafter, in most cases, reject them, unless otherwise desired by parties so ordering in time of preparing.

The following list embraces the principal kinds; but we hope to be able soon to furnish various others. They will be neatly put up in jars, containing 1 lb., $\frac{1}{4}$ lb. and $\frac{1}{4}$ lb., or in bulk. We request immediate notice if any extract prepared by us does not fully meet the recommendations.

FLUIDS.

Belladonna		In 5 lb. bottles.	Fluid Extra
do	5 \$1 25	Q1 15	A
Aletris	7		
Angelica root Arnica			
Arnica Marnica montana 1 1 1 Avens root 99 Balmony Chelone glabra 69 Barberry Myrica cerifera 66 Barberry bark Berberis 99 Belladonna Atropa belladonna 1 1 1 Beth root Trillium purpureum 1 1 1 Bitter root Apocynum andros 1 1 1 Bitter root Apocynum andros 9 Black alder Prinos verticillatus 88 Blackberry Rubus villosus 99 Black cohosh Cimicifuga 99 Black chosh Cimicifuga 99 Black hellebore Helleborus niger 1 1 1 Black pepper 50 Bloodroot Sanguinaria 99 Blue cohosh Caulophyllum thalictroides 19 Blue flag Iris versicolor 1 1 Boneset Eupatorium perfoliatum 60 Boxwood Cornus florida 77 Buchu Barosma crenata 14 do compound do do 1 14 Burdock Lappa major 99 Butternut Juglans cinerea 99 Cascarilla 60 Cascarilla 70 Cascarilla 70 Cayenne pepper 71 Cayenne pepper 72 Cantomip Nepeta cataria 60 Cayenne pepper 74 Cayenne pepper 75 Cayenne mutilum 77 Cando do 0 10 Cantomomile Anthemis nobilis 99 Cinchona pale 71 Lapra major 99 Chamomile 75 Cayenne verginiana 77 Cayenne pepper 75 Cayenne pepper 77 Centaury 77 Cayenne verginiana 77 Ado do compound do do 11 Cinchona pale 11			Aletris Aletri
Avens root			
Balmony			
Bayberry Myrica cerifera 6. Barberry bark Berberis 9. Belladonna Atropa belladonna 1 Beth root Trillium purpureum 1 Bitter root Apocynum andros 1 Bittersweet Solanum dulcamara 9 Black alder Prinos verticillatus 8 Black choosh Cimicifuga 9 Black cohosh Cimicifuga 9 Black hellebore Helleborus niger 1 Black pepper 6 6 Bloodroot Sanguinaria 9 Blue chosh Caulophyllum thalictroides 9 Blue flag Iris versicolor 1 Boneset Eupatorium perfoliatum 6 Boxwood Cornus florida 7 Bucku Barosma crenata 1 4 do 0 1 Burdow Lappa major 9 Burdoek Lappa major 9 Burdoek Lappa major 9			
Barberry bark Berberis 99 Belladonna Atropa belladonna 1 1. Beth root Trillium purpureum 1 1. Bitter root Apocynum andros 1 1. Bittersweet Solanum dulcamara 99 Black alder Prinos verticillatus 81 Black berry Rubus villosus 99 Black cohosh Cimicifuga 99 Black cohosh comp 1 1 1 Black pepper 61 Black pepper 91 Black pepper 91 Blue cohosh Caulophyllum thalictroides 91 Blue flag Iris versicolor 1 1 Boneset Eupatorium perfoliatum 61 Boxwood Cornus florida 7 Buchu Barosma crenata 1 4 do compound do do 1 4 Buckthorn Rhamnus catharticus 99 Burdock Lappa major 99 Burdock Lappa major 99 Burdock Lappa major 99 Burdock Lappa major 99 Butternut Juglans cinerea 99 Cascarilla 66 Cayenne pepper 99 Centaury Hypricum mutilum 99 Chamomile Anthemis nobilis 99 Cherry bark Prunus virginiana 7 do do compound do do do 11 Cinchona pale 11			
Atropa belladonna		90	
Beth root. Trillium purpureum. 1 1 Bitter root. Apocynum andros. 1 1 Bittersweet. Solanum dulcamara. 9 Black alder. Prinos verticillatus. 8 Black chest. Prinos verticillatus. 8 Black cohosh. Cimicifuga. 9 Black cohosh. Cimicifuga. 9 Black hellebore. Helleborus niger. 1 1 Black pepper. 6 1 1 Blue cohosh. Caulophyllum thalictroides. 9 Blue flag. Iris versicolor. 9 Blue flag. Iris versicolor. 9 Boneset. Eupatorium perfoliatum. 6 Boxwood Cornus florida. 7 Bucktu. Barosma crenata. 1 4 do compound. do do 1 4 Bugleweed. Lycopus virginica. 9 Burdock. Lappa major. 9 Butternut. Juglans cinerea. 9 Cascarilla. 6 6 Cascarila. <td>- 1 2 00</td> <td></td> <td>Barberry bark Berbe</td>	- 1 2 00		Barberry bark Berbe
Bitter root			
Bittersweet			
Black alder		90	
Black berry Rubus villosus 9		80	
Black cohosh comp 1 1		90	
1 1 1 1 1 1 1 1 1 1		90	
Black hellebore			
Black pepper			
Bloodroot. Sanguinaria 9		65	
Blue colosh		90	F FF
Blue flag			
Boneset			
Boxwood Cornus florida 7 Buchu Barosma crenata 1 4 do compound do do 1 4 Buckthorn Rhamnus catharticus 9 Bugleweed Lycopus virginica 9 Burdock Lappa major 9 Butternut Juglans cinerea 9 Cascarilla 6 6 Catnip Nepeta cataria 6 Cayenne pepper 9 9 Centaury Hypricum mutilum 9 Chamomile Anthemis nobilis 9 Cherry bark Prunus virginiana 7 do do compound do do Cinchona pale 1 1		65	Blue flag Iris
Buchu		78	
do compound do do do do Buckthorn Rhamnus catharticus 9 Bugleweed Lycopus virginica 9 Burdock Lappa major 9 Butternut Juglans cinerea 9 Canella Cascarilla 6 Cascarilla 6 Cascarilla 6 Cayenne pepper 9 Centaury Hypricum mutilum 9 Chamomile Anthemis nobilis 9 Cherry bark Prunus virginiana 7 do do compound do do 1 1 1 1 1 1 1 1 1			DOZE II OOG
Buckthorn Rhamnus catharticus Bugleweed Lycopus virginica Burdock Lappa major Butternut Juglans cinerea Cascarilla 9 Cathip Nepeta cataria Cayenne pepper 9 Centaury Hypricum mutilum Chamomile Anthemis nobilis Cherry bark Prunus virginiana do do compound do Cinchona pale 1			
Bugleweed Lycopus virginica 9 Burdock Lappa major 9 Butternut Juglans cinerea 9 Canella 9 Casearilla 6 Catnip Nepeta cataria 6 Cayenne pepper 9 Centaury Hypricum mutilum 9 Chamomile Anthemis nobilis 9 Cherry bark Prunus virginiana 7 do do compound do do Cinchona pale 1 1		90	
Burdook	- 00	90	
Butternut		90	
Canella 9 Cascarilla 6 Catnip Nepeta cataria 6 Cayenne pepper 9 Centaury Hypricum mutilum 9 Chamomile Anthemis nobilis 9 Cherry bark Prunus virginiana 7 do do compound do 9 Cinchona pale 1 1		90	Burdock Lapp
Cascarilla 6 Catnip Nepeta cataria 6 Cayenne pepper 9 Centaury Hypricum mutilum 9 Chamomile Anthemis nobilis 9 Cherry bark Prunus virginiana 7 do do compound do 40 Cinchona pale 1 1		90	
Catnip Nepeta cataria 6 Cayenne pepper 9 Centaury Hypricum mutilum 9 Chamomile Anthemis nobilis 9 Cherry bark Prunus virginiana 7 do do compound do 1 Cinchona pale 1 1		65	
Cayenne pepper 9 Centaury Hypricum mutilum 9 Chamomile Anthemis nobilis 9 Cherry bark Prunus virginiana 7 do do compound do do 9 Cinchona pale 1 1		65	
Centaury Hypricum mutilum 9 Chamomile Anthemis nobilis 9 Cherry bark Prunus virginiana 7 do do compound do 9 Cinchona pale 11		90	
Chamomile. Anthemis nobilis 9 Cherry bark. Prunus virginiana 7 do do compound do do 1 Cinchona pale 11		90	
Cherry bark		90	
do do compound do do 9 Cinchona pale 1 1		78	
Cinchona pale 1 1	00	90	
Cinchona pare			T T
1 1			
do comp			
			do calisaya
		1 90 90	

Fluid 1	Extracts.	In 5 lb. bottles.	In lb.
Colchicum root	Colchicum autumnale	\$1 15	\$1 25
	do do,	1 15	1 25
		1 90	2 00
Colocynth	Cocculus palmatus	90	1 00
Colombo	Tussilago	90	1 00
Coltsfoot	Symphytum	78	88
Comfrey	Conium maculatum	1 15	1 25
Conium		2 90	3 00
Cotton root bark	Gossypium herbaceum	90	1 00
Cramp bark	Viburnum opulus		1 00
Cranesbill	Geranium maculatum	90	2 00
ubebs	Piper cubeba	1 90	2 00
Culver's root	Leptandra virginica	1 90	1 00
Dandelion	Taraxacum	90	
do and senna		90	1 00
do compound		90	1 00
Dwarf elder	Aralia hispida	90	1 00
Elder flowers	Sambucus	90	1 00
Elecampane	Inula	65	75
Ergot etherial		2 90	3 00
Fern, sweet	Comptonia	65	75
Feverfew	Pyrethrum	78	88
Fever bush	Benzoin	90	1 00
Fire weed	Erechthites	90	1 00
Foxglove	Digitalis purpurea	1 15	1 25
Frostwort	Helianthemun	78	88
Garden celandine	Chelidonium	90	1 00
Gelseminum	Gelseminum sempervirens	2 90	3 00
Gentian	Gentiana lutea	78	88
	do do	90	1 00
do compound		90	1 00
Ginger	Hydrastis canadensis	1 15	1 25
Gold seal	Solidago	90.	1 00
Golden rod	Coptis	1 40	1 50
Goldthread		90	1 00
Gravel plant	Epigæa repens		75
Hardhack	Spiræa tomentosa	65	75
Hemlock	Abies canadensis	65	1 25
Henbane	Hyoscyamus niger	1 15	
Нор	Humulus lupulus	90	1 00
Horehound	Marrubium vulgare	90	1 00
Hydrangea		1 15	1 25
Ignatia bean	Strychnos ignatia	2 40	2 50
Indian hemp	Apocynum cannabinum	1 15	1 25
do foreign	Cannabis indica	2 65	2 75
do white	Asclepias incarnata	90	1 00
Indian physic	Gillinea trifoliata	90	1 00
Ipecac	Cephælis ipecacuanha	6 40	6 50

Fluid 1	Extracts.	In 5 lb. bottles.	In lb.
Ipecac and seneka		\$3 65	\$3 75
	Ipomœa jalapa	3 40	3 50
Jalap	ipomea jaiapa	78	88
Johnswort			75
Juniper berries	G . 1.	65	1 25
Ladies' slipper	Cypripedium pubescens	1 15	
Lettuce	Lactuca sativa	90	1 00
Lily, white	Nymphæa	90	1 00
Life root	Senecio aureus	1 15	1 25
Liquorice		65	75
Liverwort	Hepatica americana	1 15	1 25
Lobelia	Lobelia inflata	90	1 00
do compound	_ do do	90	1 00
Lovage	Ligusticum levisticum	1 15	1 25
Lungwort	Variolaria	90	1 00
Male fern	Aspidium filix-mas	1 15	1 25
Mandrake	Podophyllum peltatum	90	1 00
do compound	do do	1 15	1 25
Marsh rosemary	Statice limonium	90	1 00
Mattico		1 15	1 25
Mugwort	Artemisia vulgaris	90	1 00
Nux vomica		1 15	1 25
Opium aqueous		2 40	2 50
Orange peel	Aurantium	90	1 00
Orris root		65	75
Pareira brava	Cissampelos pareira	1 15	1 25
Peppermint	Mentha piperita	65	75
Pink root	Spigelia marilandica	1 15	1 25
do and senna		1 15	1 25
do compound		1 15	1 25
Pipsissewa	Chimaphila umbellata	78	88
Pleurisy root	Asclepias tuberosa	1 15	1 25
Poke	Phytolacca decandra	90	1 00
Poplar bark	Liriodendron tulipifera	65	75
Poppy	Papaver somniferum	90	1 00
Prickly ash	Xanthoxylum fraxineum.	90	1 00
	Simaruba excelsa	65	75
Quassia	Eupatorium purpureum	90	1 00
Queen of the Meadow	Krameria triandra	90	1 00
Chatany	Rheum palmatum	2 40	2 50
Rheubarb	reneum parmatum	2 40	2 50
do aromatic		1 65	1 75
do and senna	Puta anamalana	90	1 00
Rue	Ruta graveolens		2 50
affron		2 40	1 25
Sarsaparilla, Rio Negro		1 15	
do and dandelion		90	1 00
do comp.(U.S.P.)		90	1 00

Fluid Extracts.	In 5 tb. bottles.	In lb. bottles.
Sarsaparilla, American	\$0 65	\$0 75
Sassafras Laurus sassafras	65	75
Savin Juniperus sabina	90	1 00
Scullcap Scutellaria lateriflora	1 15	1 25
do compound do do	1 15	1 25
Seneka Polygala senega	2 40	2 50
Senna Cassia acutifolia	78	88
do compound do do	90	1 00
Senna and jalap	1 40	1 50
Skunk cabbage Symplocarpus fætidus	90	1 00
Snakeroot Serpentaria	1 15	1 25
Solomon's seal Convallaria	1 15	1 25
Southernwood Artemisia abrotanum	78	88
Spearmint Mentha viridis	65	75
Spikenard Aralia racemosa	90	1 00
Squills	65	75
do compound Scilla maritima	1 55	1 65
Stillingia	1 15	1 25
do compound	1 15	1 25
Stramonium Datura stramonium	90	1 00
Sumach Rhus glabrum	65	75
Sweet gale Myrica	90	1 00
Tag alder Alnus serrulata	90	1 00
Tansy, double Tanacetum vulgare	65	75
Thyme Thymus serphyllus	90	1 00
Tonqua	1 40	1 50
Turkey corn Corvdalis formosa	1 40	1 50
Turmeric	90	1 00
Unicorn Helonias dioica	1 40	1 50
Uva ursi Arctostaphylos	78	88
Valeriali, 4 0Z Valeriana officinalia	90	1 00
veratrum viride	1 90	2 00
Vervain Verbena.	90	1 00
Wahoo Euonymus atropurpureus	90	1 00
Water pepper Polygonum punctatum	90	1 00
White oak Quereus alba	65	75
Whitewood bark Liriodendron	78	88
Wild indigo Baptisia tinetoria	90	1 00
Wild turnip Arum triphyllum	1 15	1 25
Tire	1 15	1 25
Wintergreen Gaultheria procumbens	90	1 00
Witch hazel Hamamelis virginica	90	1 00
Wormseed Chenopodium Wormwood Artemisia absynthium.	1 15	1 25
	90	1 00
	78	88
Yellow dock Rumex crispus	90	1 00

Other kinds made to order, and compounds made from private formula. All fluids sent in pound bottles, unless specially ordered in bulk.

PURE INSPISSATED ALCOHOLIC AND HYDRO-ALCOHOLIC SOLID EXTRACTS.

Solid Extracts.	eart	then ars.	ear	½ lb.	C	la lb. jars ork ople.	co	rk	CO	rk
Aconiti Aconite	\$2	75	\$3	00	\$3	25	\$3	50	\$3	75
Anthemidis Chamomile	3	25	3	50	3	75		00		25
Apocyni andros Bitter root	2	75	3	00	3	25		50		75
Apocyni canab Indian hemp	2	75	3	00	3	25		50		75
Artemisiæ Wormwood	2	25	2	50	2	75		00		25
Asclepiæ inc White Ind. hemp	2	75	3	00	3	25	3	50	3	75
Belladonnæ		75	3	00	3	25	3	50		75
Canabis ind Indian hemp, for							per	oz.	2	00
Chimaphilæ Prince's pine	2	25	2	50	2	75	3	00	3	25
Cimicifugæ Black cohosh	3	00	3	25	3	50	3	75	4	00
Colocynthidis Colocynth	9	75	10	0.0	10	25	10	50	10	75
Colocynthidis comp	3	00	3	25	3	50	3	75	4	00
Colombæ	2	25	2	50	2	75	3	00	3	25
Conii	1	75	2	00	2	25		50	2	75
Cornus floridæ Boxwood	2	25	2	50	2	75	-	00	3	25
Cubebæ Cubebs	7	75	8	00	8	25		50	8	75
Cypripedii Ladies' slipper	2	75	3	00	3	25	3	50	3	75
Digitalis Foxglove	2	75	3	00	3	25	3	50	3	75
Dulcamaræ Bittersweet	2	25	2	50	2	75	3	00	3	25
Eupatori Boneset	2	25	2	50	2	75	3	00		25
Filicis maris Male fern	2	75	3	00	3	25	3	50	3	75
Gentianæ		• • • • •	1	12	1	37	1	62	1	87
lo in 1 lb. pots, net	1	44								
Geranii mac Cranesbill	2	75	3	00	3	25	3	50	3	75
Hellebori Black hellebore		75	4	00	1	25	4	50		75
Humuli Hops			5	00	5	25	5	50	5	75
Hyoscyami Henbane		75	3	00	3	25	3	50	3	75
Ignatiæ amaræ Ignatia bean		05					1	OZ.	1 4	00 25
Iris versicol Blue flag		25 75	3	50	8	75 25	8	50	8	75
Jalapæ Jalap		75	8 2	00	2	25	2	50	2	75
Juglandis Butternut			2	0.0	2	25	2	50	2	75
Lactuce Lettuce Lappi Burdock			2	50	2		3	00	3	25
Lappi Burdock	-		3	00	3		3	50	3	75
Leonori Motherwort			3		3		3	50	3	75
Leptandra Culver's root			3		3	_	3	75	4	00
Marrubii Horehound			3		3		3	50	3	75
Nux vomica			3		4		4	25	4	
Papaveris Poppy	1 ~		3		3		3	50	3	75
aparons Loppy	2		3		3		3	50	3	75

So	lid Ex	ctracts.	e	art	lb. then	gla	½ lb. ss & then ars.	gl's	jars jars ork pple.	gl's	jars	gl's	ork
Podophylli		Mandrake	\$	3	00	\$3	25	\$3	50	\$3	75	\$4	00
Quassiæ				5	75	6	00	6	25	6	50	6	75
		White oak			75	2	00	2	25	2	50	2	75
Rhubarb			10)	00								
		Yellow dock		3	00	3	25	3	50	3	75	4	00
Rubi villosi		Blackberry		1	75	2	00	2	25	2	50	2	75
		Rue		2	75	3	00	3	25	3	50	3	75
Sabinæ		Savie		2	25	2	50	2	75	3	00	3	25
Sanguinaria		Bloodroot		3	00	3	25	3	50	3	75	4	00
Sarsaparilla	, Am		5	2	50	2	75	3	00	3	25	3	50
do	do cor	npound	!	2	50	2	75	3	00	3	25	3	50
do	Rio N	egro		3	25	3	50	3	75	4	00	4	25
do	do			3	25	3	50	3	75	4	00	4	25
Sennæ, Alex	Kandria		:	2	25	2	50	2	75	3	00	3	25
Spiræa		Hardhack	:	2	25	2	50	2	75	3	00	3	25
Stramonii .				2	75	3	00	3	25	3	50	3	75
Taraxaci		Dandelion		1	75	2	00	2	25	2	50	2	75
		Red clover		1	75	2	00	2	25	2	50	2	75
Uvæ ursi			5	2	75	3	00	3	25	3	50	3	75
Valerianæ.					75	4	00	4	25	4	50	4	75
Veratri virio	le	White hellebo	re.	3	25	3	50	3	75	4	00	4	25

ORDINARY EXTRACTS.

Extracts.	Price.	Extracta.	Properties.
Ash bark, white		Fraxinus americana,	Cath. Deo.
Balm gilead	. 1 50	Populus balsamifera,	Bal. Sto. Pec.
Balmony	. 1.50	Chelone glabra,	A-bil. Ton. Sto.
Belladonna		Atropa belladonna,	Nar. Ano.
Bitter root		Apocynum androsæmifolium,	Ton. Diu. Deo.
Bittersweet		Solanum dulcamara,	Deo. Her. Nar.
Black root		Leptandra virginica,	Cath. Deo.
Boneset		Eupatorium perfoliatum,	Ape. Ton. Sud.
Burdock		Lappa major, I	Deo. A-scor. Acr.
Butternut		Juglans cinerea,	Cath. Alt.
Celandine, garden		Chelidonium majus,	Cath. Diu. Dia.
Cieuta		Conium maculatum,	Nar. Deo.
Clover		Trifolium pratense,	Dis. Pec. Acr.
Cow parsnip	• 1 50	Heracleum lanatum,	Cath. Car. Diu.
Dandelion		Taraxicum dens-leonis,	Ton. Deo. Diu.
Dogwood		Cornus florida,	Ton. Ast.
Fleabane		Erigeron canadense,	Ast. Diu. Sty.
Foxglove	. 2 00	Digitalis purpurea,	Nar. Diu.

Extracts.	Price.	Extracta.	Properties.
Hardhack	\$1 50	Spiræa tomentosa,	Ast. Ton.
Hellebore		Veratrum viride,	Nar. Acr.
Hops		Humulus lupulus,	Nar. Ano. Ton.
Horehound		Marrubium vulgare,	Pec. Ast. Ton.
Henbane		Hygseyamus niger,	Nar. Ano. Ner.
Lettuce, garder		Lactuca sativa,	Ano. Diu.
do wild.		do elongata,	do
Lobelia		Lobelia inflata,	Eme. Exp. Lax.
Motherwort		Leonorus cardiaca,	Dia. Ner. Stom.
Mullein		Verbascum thapsus,	Ano. Dem. Ton.
Oak, white		Quercus alba,	Ast. Ton.
Poke		Phytolacca decandra,	Cath. Acr. Deo.
Poplar	1 00	Populus tremuloides,	Ton. Ast.
Рорру		Papaver somniferum,	Deo. Sti. Diu.
Princes pine		Chimaphila umbellata,	Diu. Sti.
Raspberry, red	1 00	Rubus strigosus,	Ast. Ton.
Rue	1 50	Ruta graveolens,	Sti. A-spas. Diu.
Savin		Juniperus sabina,	Aro. Deo. Sti.
Senna		Cassia marilandica,	Cath. Diu.
Skunk cabbage		Symplocarpus fœtidus, E:	
Smart weed	1 00	Polygonum hydropiper,	Sud. Sti. Acr.
Sorrel		Rumex acetosa,	Ton. Dis. Ref.
Sorrel, sheep		Oxalis acetocella,	Dis. A-sep. Ref.
Thorn apple		Datura stramonium,	Acr. Nar. Ano.
Tanzy	1 50	Tanacetum vulgare,	Ton. Sto. Ver.
Tomato	1 50	Solanum lycopersicum,	Ape. Deo. Sto.
Uva ursi		Arctostaphylos uva-ursi,	Ast. Ton.
Valerian		Valeriana officinalis,	Ner. Sud. Sto. Aro.
Wormwood	1 50	Artemisia absynthium,	Ton. Sto. A-bil.
Yarrow	1 00	Achillea millefolium,	Aro. Ast. Sto.

CONCENTRATED PREPARATIONS.

Alkaloi	ds and Resinoids.	per oz
Asclepidin	Pleurisy root	\$1 50
Baptisin		
Caulophylin		
Cimicifugin		62
Cornin		1 00
Cypripedin	Ladies' slipper	1 00
Helseminin		
Geranine	Cranesbill	62
Hydrastin, neutral		1 00
do resinoid		62
Irisine	Blue flag	1 00
Leptandria	Culver's root	75
Lobelin	Lobelia	1 50
Lupulin	Нор	
Myricin	Bayberry	62
Phytolaccin	Garget or poke	
Podophyllin	Mandrake	75
Sanguinarin	Blood root,	75
Scutellarin	Scullcap	
Senecin		
Stillingin	Queen's delight	1 25
Xanthoxylin		

OINTMENTS.

Belladonna\$0	75	Ung.	Belladonnæ
Bittersweet 0	75	66	Celastri.
Cicuta 0	50	66	Conii.
Dock Yellow 0	50	"	Rumicis.
Elder 0	50	"	Sambuc.
Hellebore 0	75	66	Veratri albi.
Marsh mallows 0	50	66	Althææ.
Meadow fern 0	75	66	Myricæ.
Savin 0	50	66	Sabinæ.
Stramonium 0	50	66	Stramonii.

Any other kinds made to order, if over 20 lbs. ordered, and strictly according to the Pharmacopæia, or to the directions given.

DOUBLE DISTILLED AND FRAGRANT WATERS.

Rose\$1	25
Peach 0	75
Cherry 0 '	75
Sassafras 0 '	75
Peppermint 0	50
Spearmint 0	50
Elder flowers 0	50

Any other kinds distilled to order. Also waters distilled in vacuo, from the expressed juice of Cicuta, Belladona, Henbane, Sarsaparilla, Dandelion, Thorn Apple; and various others can be had by giving notice in time of preparation, and are recommended to Physicians for trial, especially Cicuta, Dandelion and Sarsaparilla for the cleansing of foul ulcers, &c.

ESSENTIAL OILS.

Common names.	Per lb.	Botanical names.
Hyssop	\$	Hyssopus officinalis.
Peppermint		Mentha piperita.
Spearmint		Mentha viridis.
Savin		Juniperus sabina.
Spruce		Abies.
Tanzy		Tanacetum vulgare.
Wintergreen		Gaultheria procumbens.
Wormseed		Chenopodium anthelmintica.
Wormwood		Artemisia absynthium.
And various other kinds		

POWDERED ARTICLES.

POWDERED ARTICLES.					
African cayenne,	Elder flowers,	Prickly ash bark,			
Angelica root,	Elm bark,	Pleurisy root,			
Bayberry bark,	Elecampane,	Peppermint,			
Barbery,	Elder dwarf,	Parsley leaves,			
Birch bark, black,	Fox glove,	Princes pine,			
Bitter root,	Garget or poke,	Queen of the meadow,			
Blood root,	Golden seal,	Rose-willow bark,			

Boxwood bark, Burdock root. Beth root. Butternut bark. Blackberry root, Belladonna, Cohosh, black. Cohosh, blue, Cranesbill. Cassia, pure. Cloves, Comfrey, Calamus. Cramp bark, Cicuta, Cohosh, white, Culver's root, Canada snake root, Cherry bark, Dandelion root, Dock root, yellow,

Ginger, pure, Hemlock bark, Hoarhound. Hyssop, Hyoscyamus, Hellebore, Indian hemp. Indigo, wild, Indian turnip, Lily, white, root, Lily, yellow, root, Lobelia, Lobelia seed. Laurel leaves, Milk weed. Male fern root, Mandrake. Nerve root. Oak, black, Oak, white,

Poplar bark.

Raspberry leaves, Rue, Sumach bark, Sarsaparilla, Savin, Scullcap, Skunk cabbage. Snakehead or balmony. Sassafras. Stramenium seed, Spearmint. Sanicle, white, Spikenard, Tamarack bark. Unicorn root, Wakerobin. Witch hazel leaves. Wintergreen. White wood. Yellow parilla, Yarrow.

SYNONYMS.

Difficulties having sometimes arisen from the use of the common name being applied to different plants in different localities, and also from the fact that druggists are frequently called upon for some article which they have, by a name distinct from that by which it is sold under, which they are not aware of, we have appended a list of synonyms, which the seller will please refer to before turning a customer away:

Alder, striped		see	Witch hazel.
Apple, Peru		66	Thorn apple.
Arbutus, trailing		66	Gravel plant.
Arsmart		66	Water pepper.
Asthma weed		66	Lobelia.
Balm, mountain		66	Oswego tea.
Balm, red		66	66
Baneberry		66	Red and white cohosh.
Basil, wild		66	Dittany.
Bearberry		66	Uva ursi.
Becabbunga		66	Brooklime.
Bed straw		66	Cleavers.
Beech drops		66	Cancer root plant.
Bees' nest		66	Wild carrot.
Belladonna		66	Deadly nightshade.
Bind weed		66	Man root.
Bitter clover		66	Centaury.
Birth root		66	Bethroot.
Bitter herb		66	Snakehead.
Balmony		66	66
Bitter worm		66	Buckbean.
Black root		66	Culver's root.
Black snake root		66	Cohosh, black.
Blue bells		66	Abcess root.
Blueberry		.66	Pappoose root.
Boneset, purple		. 66	Queen of the meadow.
Bouncing-bet		66	Soapwort.
Boxberry		66	Wintergreen.
Bugloss, common		66	Borage.
Butterfly weed		66	Pleurisy root.
Cabbage, meadow	or swamp	66	Skunk cabbage.
Calamus		66	Sweet flag.
Canada moonseed		66	Parilla.
Catchweed		66	Cleavers.
Chamomile, high		66	Mayweed.
Checkerberry		66	Squaw vine.
Chocolate root		66	Aven's root.
Christmas rose		66	Black hellebore.

		T1 0
Cinque foil	866	Five fingers.
Cliff weed	66	Alum root.
Clove garlic		Garlie.
Clustered Sol. seal	66	Sol. seal, small.
Coakum	66	Poke.
Cock-up hat	66	Queen's delight.
Coffee, wild	66	Fever root.
Cohosh, blue	66	Pappoose root.
Coral root	66	Crawley.
Corn snake root	66	Button snake root.
Cough root	66	Bethroot.
Crowfoot	66	Cranesbill.
Cuckoo bread	66	Wood sorel.
Cure-all	66	Balm lemon.
Devil's bit	66	Blazing star.
Dogwood bark	66.	Boxwood bark.
" roundwood	66	
" swamp	66	Willow rose.
Dragon root	66	Wild turnip.
Dragon's claw	66	Crawley.
Dropsy plant	66	Balm, lemon.
Dwale	66	Night shade, deadly.
Elder, sweet	66	Elder.
Emetic herb	66	Lobelia.
Eve's cup	66	Side-saddle.
False alder	66	Black alder.
Featherfew	66	Feverfew.
Fern, meadow	66	Sweet gale.
Fever twig	66	Bittersweet.
Fishmouth	66	Snakehead.
Flag lily	66	Blue flag.
Fleabane, Philadelphia	66	Scabious.
Flower-de-lis	66	Blue flag.
Garantogen	66	Gensing.
Garget	66	Poke.
Gay feather	66	Button snake root.
Gill-go-over the ground	66	Ground ivy.
Ginger, wild	66	Canada snake root.
Golden ragwort	66	Life root.
Goose grass	66	Cleavers.
Goosefoot wormseed	66	Wormseed.
Ground lily	66	Bethroot.
Gravel root	66	Queen of the meadow.
Gum plant	66	Comfrey.
Hackmadden	66	Tamarack.
Hellebore, fætid	66 -	Skunk cabbage.
Hemlock, poison	66	Cicuta leaves.
Healing herb	66	Comfrey.
High cranberry bark	66	Cramp bark.
Honey bloom	66	Bitter root.
Hoodwort	66	Scullcap.

Horse balm see Stone root. Horse gentian "Fever root. Hysocyamus "Henbane. Indian arrowwood "Wa-a-hoo. "elm "Elm, slippery.	
Horse gentian Hyoseyamus Indian arrowwood "Fever root. Henbane. Wa-a-hoo.	
Hyoseyamus "Henbane. Indian arrowwood "Wa-a-hoo.	
Indian arrowwood "Wa-a-hoo.	
tobacco CLobelia.	
" turnip " Wild turnip.	
Ipecac, wild Fever root.	
milk 66 Bitter root.	
Itch weed " White hellebore.	
Jacob's ladder " Abcess root.	
Jamestown weed "Thorn apple.	
Jimson weed	
Joe-pye "Boneset.	
King's clover "Mellilot.	
Knobs grass Stone root.	
Lamb kill "Laurel.	
Lavoise "Lovage.	
Leopard bane "Arnica.	
Life everlasting "Sweet balsam.	
Life of man "Spikenard.	
Linden flowers "Basswood.	
Liquorice, wild "Sarsaparilla.	
Lousewort "Betony weed.	
Locust plant "Senna.	
Madweed "Scullcap.	
Maple, ground "Alum root.	
Marjoram, wild "Mountain mint.	
Marsh trefoil "Buckbean.	
Masterwort "Cow parsnep.	
May apple "Mandrake.	
Meadow cabbage "Skunk cabbage.	
Meadow fern, leaves and twigs "Sweet gale.	
Mealy starwort Blazing star.	
Moldavian balm "Balm, sweet.	
Mezereon, American "Leather wood.	
Millefoil "Yarrow.	
Mitrewort "Coolwort.	
Mohawk weed 66 Bellwort.	
Monarda "Horsemint.	
Monkshood "Aconite.	
Moosewood bark "Maple, striped.	
Mountain box "Uva ursi.	
" ditany " Ditany.	
" flax " Seneca skunk roo	t.
Mouth root "Goldthread.	
Myrtle leaves "Bayberry.	
Necklace weed "Cohosh, white.	
Noah's ark	
Nerve root water "Indian hemp, whi	ife
Nightshade, black "Nightshade, gard	
	~ 55.0

Nightshade, woody	see	Bittersweet.
Ninsin	66	Ginseng.
Old man	6.6	Southernwood.
One berry	66	Squaw vine.
	66	Horsemint.
Origanum	66	Rose willow.
Ozier, red	66	Daisy.
Oxeye daisy	66	Squaw vine.
Partridge berry	66	
Patience	66	Dock patience.
" garden	66	Callemand
Petty morrel	66	Spikenard.
Pigeon berry	66	Poke.
Pipe plant		Fit root.
Pipsisseway	66	Princes pine.
Poke, Indian	66	White hellebore.
Pool root		Sanicle.
Poplar, white	66	Whitewood.
Primrose tree	66	Scabish.
Puccoon, red	66	Blood root.
vellow	66	Golden seal.
Puke weed	66	Lobelia.
Pyramid flower	66	Columbo.
Pond dogwood	66	Button bush.
Poplar, white and yellow	66	Whitewood.
Polecat weed	66	Skunk cabbage.
Rattlesnake's master	66	Button snake root.
Rattle bush	66	Wild indigo.
Raccoon berry	66	Mandrake.
Rose pink	66	Centaury.
Rag weed	66	Roman wormwood.
Rattlesnake root	66	Spotted plantain.
Rattle weed	66	Black cohosh.
Red elm	66	Elm slip.
Red rod	66	Rose willow.
Rheumatism weed	66	Princes pine.
Rheumatic weed	66	Cocash.
Rock parsley	66	Parsley.
66 rose	66	Frostwort.
Sarsaparilla, or bristly stem	66	Elder, dwarf.
Scamony, wild	66	Man root.
Scoke root	66	Poke.
Sea thrift	66	Marsh rosemary.
Self-heal	66	Heal-all.
Sheep berry	66	Nanny bush.
Silk weed	66	Milk weed.
	66	Vervain.
Simplers joy Smart weed	66	Water pepper.
	66	Lovage.
Smellage	66	Virginia snake root.
Snagnel	66	Cohosh, black.
Snake root, black button	66	Button snake root.
Dutton		Dation Shake 100t.

Chales week baset		0 . 1 . 1
Snake root, heart	800	Canada snake root.
12000	"	Spotted plantain.
MUICE	"	White sanicle
Snake weed	"	Virginia snake root.
Snapping hazlenut	"	Witch hazel.
Spignet	"	Spikenard.
Spikenard, small	"	Sarsaparilla.
Spindle bush	"	Wa-a-hoo.
Split rock		Alum root.
Spotted cardus	66	Cardus.
Spurge	"	American ipecac.
Square stalk	66	Oswego tea.
Squaw root		Cohosh, blue.
Staff-tree, or vine	66	Bittersweet, false.
Starwort, drooping	66	Unicorn.
Steeple bush	"	Hardhack.
Stillingia	66	Queen's delight.
Stinking weed	66	Wormseed.
Stramonium	66	Thorn apple.
Succory, wild	66	Centaury.
Suterberry	66	Prickly ash.
Swamp sassafras	66	Green ozier.
Sweat root	66	Abcess root.
Sweet bush	"	Sweet fern.
" clover	66	Mellilot.
66 elm	"	Slippery elm.
" fennel	"	Fennel.
" rush	"	Sweet flag.
Scabwort	66	Elecampane.
Stonemint	66	Ditany.
Star root	66	Blazing star.
Squaw mint	66	Pennyroyal.
Teaberry plant	66	Wintergreen.
Thistle, blessed	66	Cardus.
Thoroughwort	66	Boneset.
Throat root	66	Avens root.
Toad lily	66	W. pond lily.
Toothache tree	66	Prickly ash.
Tormentilla	66	Cranesbill.
Traveller's joy	. 66	Virgin's bower.
Trumpet weed	"	Wild lettuce.
Tulip tree	66	Whitewood.
Turnip, wild	66	Wild turnip.
Turmeric	66	G. cellandine.
Tetterwort	66	Blood root.
Tick weed	66	Pennyroyal.
Umbel root	66	Nerve root.
Uncum	"	Life root.
Valerian, American	66	Ladies' slipper.
do Greek	**	Abcess root.
Vine maple	66	Yellow.
The mapro		

W 1 1 .		TTT:13.4
Wake robin	800	Wild turnip.
Walnut bark, white	66	Butternut bark.
Water bugle	66	Sweet bugle.
Water cup	66	Side-saddle plant.
Water hoarhound	66	Archangel.
Wild lemon	66	Mandrake.
Windwort	66	Pleurisy.
White bay	66	Swamp Sassafras.
Water dock	66	Dock water.
" shamrock	66	Buckbean.
Wax myrtle	66	Bayberry.
White leaf	66	Hardhack.
Whistle wood	66	Striped maple.
White root	66	Pleurisy root.
Wild tobacco	66	Lobelia.
Winter bloom	66	Witch hazel.
" clover	66	Squaw vine.
66 berry	66	Black alder.
Wolfsbane	66	Aconite.
Yaw root	66	Queen's delight.
Yellow broom	66	Indigo, wild.
66 wood	66	Prickly ash.

VEGETABLE AROMATIC CEPHALIC SNUFF. . .

A powerful remedy for pain and dizziness in the head, palsy, &c. Price $12\frac{1}{2}$ cents a phial, \$1 a doz., or \$9 a gross.

CEPHALIC PILLS.

For periodical or nervous headache, chronic lameness and nervous debility.

These pills are prepared from vegetables only, and contain no mineral or narcotic substance whatever. They have been in use in our society for more than forty years, and are confidently recommended as a safe and efficacious remedy in the above complaints.

Price 50 cents a box, or \$4 a dozen.

CONCENTRATED SYRUP OF BITTER BUGLE.

A new and valuable medicine for coughs, spitting of blood, and consumption.

Price \$1 a bottle, or \$9 a dozen.

COMPOUND CONCENTRATED SYRUP OF SARSAPARILLA.

Of twice the medicinal strength of the common syrup of the shops.

Price \$1 a bottle, or \$9 a dozen.

ALSO, SHAKERS' COMPOUND SARSAPARILLA STRUP.

Put up in square pint bottles; more concentrated and active than the preceding, and warranted as good as any in the market.

Price 75 cents a bottle, or \$6 a dozen.

GENUINE SYRUP OF BUCKTHORN.

(RHAMNUS CATHARTICUS.)

Price \$1 a bottle, or \$9 a dozen.

Notice to Physicians.—The foregoing compounds are recommended with confidence, as being selected from the best remedial agents that our knowledge of medical science can produce. The names of the acting or leading articles of which they are composed accompany the medicines, and also plain directions for using, so that every person who understands the Materia Medica can judge of their fitness for fulfilling the indications intended.

A Catalogue of Garden Seeds,

RAISED BY THE UNITED SOCIETY OF SHAKERS,

NEW LEBANON. COLUMBIA CO., N. Y.

The following seeds are selected with peculiar care, being the choicest kinds of the different varieties; and as such they will recommend themselves. They will be sold on the most reasonable terms by the pound, or put up in small papers for retailing, to suit the convenience of customers.

Asparagus, Giant. Bean, Early China, (bush.) Early Purple, 66 66 Early White, Royal White, 66 66 Clapboard, (pole.) 66 Cranberry, Beet, Early Scarcity. " Early Turnip. Yellow Sugar. 66 White French do. Long Blood. " Mangle Wurtzel. Cabbage, Early York. Early Sugar Loaf. 66 Large Drumhead. 66 Green Savoy. Red Dutch. Cauliflower, Early. Carrot, Long Orange. Early Horn. Altringham. Celery, White. Corn, Early Canada. " Sweet or Sugar. 66 Cucumber, Early Frame. Early Cluster. Extra Long. Long Green. Rhubarb. Egg Plant. Sage, English. Salsify, or Vegetable Oyster. Savory, Summer. Tomato, Large Red.

Sea Kale.

Spinage, Roundleaf.

Squash, Sweet Potatoe.

Summer Scollop.

Lettuce, Early Imperial. Early Curled. Early Dutch. Ice Cross. Cabbage-head. Frankfort. Mellon, Large Water. Long Musk. Nutmeg. Nasturtium. Onion, White Portugal. Yellow Dutch. Large Red. Parsley, Curled or Double. Parsnip, Long White. Peas, Early Washington. Early Frame. Large Marrowfat. Tall Sugar. Pepper Squash. Sweet. Large Bell. Pepper Grass, Double. Radish, Short Top Scarlet. Scarlet Turnip. Long Salmon. Black Winter. Large Dutch. Saffron, American. Squash, Winter Crookneck. Summer.

Turnip, Early Flat.

66

Flat Field.

Ruta Baga.

Long Tankard.

SUPPLEMENTARY.

It has been wisely said, that the "truly useful is always the truly beautiful," and this truth has been fully carried out in the products of the vegetable kingdom. Perhaps no study contributes more to the length, utility, and pleasure of existence—which adds to health, cheerfulness and enlarged views of creative wisdom and power, and which improves the morals, tastes and judgment, more than the science of Botany. Yet it is worthy of remark, that a majority of persons, even in cultivated society, have been singularly ignorant, not only of Botany as a science, but of the character and nutritive properties of the most distinguished products of vegetable nature. At present, however, we are pleased to notice a general awakening to a more lively interest in this line, and a wider diffusion of botanical knowledge, which must add to the happiness, and we earnestly hope to the innocency, of the human family.

It has been remarked of the noble though degraded Burns, that he could see more beauty in the thistle that grew at his door, than another might view in the most gorgeous spectacle on earth, and so it might be said of most botanists.

It might seem strange that so inviting a subject has been so long neglected; but, among the more intellectual and spirited beings of creation, plants have found observers since the time the Greeks considered them possessed of souls and endowed with the powers of thought. Pythagoras was the first who drew up a regular catalogue which was variously modeled and copied by his successors.

Solomon, Plato, Socrates, Seneca, Cyrus, Alexander, and even the stoical Diogenes, manifested a great interest in the beauties of the vegetable kingdom; and Haroun Al Raschid, the theme alike of history and song, and his cotemporary and friend, the Emperor Charlemagne, were exceedingly partial to this branch of natural history.

Mankind have successfully sought from time immemorial, and from the savage to the civilian, remedial agents for sickness and disease from the vegetable kingdom, and their collection, preparation and administration, have furnished employment for many honest and benevolent individuals;

the good Samaritans of the day, and a still greater number of rogues and empirics.

"More than two thousand years ago the physicians of Greece were supplied with herbs of which their Materia Medica chiefly consisted, by a class of persons called rhizotomi or root-cutters, who occupied themselves with the collection and sale of roots and herbs. They are mentioned by Theophrastus in connection with the pharmacopolists. Most of them were illiterate and superstitious, and ascribed magical virtues to the roots and herbs which they collected.

"Among the Romans, these cullers of simples, were termed herbarists; and, if we are to believe Pliny, they were a sad set of knaves.

"At the present day, in Europe, the rhizotomi of the Greeks and the herbarii of the Romans are represented by a class of persons called simplers, who go about the country collecting those medicinal herbs which grow wild, and the demand for which is insufficient to induce the dealers to cultivate them. The plants are collected and sold chiefly to herbalists, by whom the profession and public are supplied.

"But those medicinal plants for which there is a sufficient demand. and which can be grown in the country, are cultivated in physic gardens or physic grounds, by persons called physic gardeners, or herb growers.

"Although the cultivation of medicinal plants is carried on in various parts of England, yet more land is employed in this way in Surrey than in any other county; and by far the greatest part of their physic grounds lie in the parish of Mitcham and its neighborhood, about nine miles from London. The soil of this place is a rich black mold.

"The cultivation of physical plants at Mitcham commenced about a century ago. Lyson, who wrote in 1796, says that forty years before his time there were only a few acres employed in the cultivation of medicinal herbs in this parish; whereas, at the time he wrote, about two hundred and fifty acres were occupied by physic gardeners. At the present time, more than eight hundred acres are devoted to the cultivation of medicinal herbs, at Mitcham, Merton and Carshalton."

Although the cultivation of medicinal plants is not conducted on so large a scale in this country as in Europe, yet there are some fine gardens, and their cultivation is rapidly extending. The Shakers were the first who commenced the business in this country, and their physic grounds (which embrace the largest portion in the States), cover about one hundred and

fifty acres of cultivated plants, of which the largest is at New Lebanon, N. Y. This is the oldest in the country, and was commenced on a small scale about seventy years since; and within a few years has been largely increased, as the demand for such medicines as they raise and collect has doubled within a short time. This is partly owing to the frequent importation of spurious and adulterated drugs, which has led intelligent physicians to seek among our own genuine medicinal substances new remedies and suitable equivalents.

In the commencement of the New Lebanon establishment, most of the native remedies offered in market were collected by persons destitute of necessary botanical information, and ignorant of the proper season of collecting, and of the correct manner of preparation; but who gathered such simples as were in general use, and which were generally bought up by empirics and for domestic practice. But these, from exposure to atmospheric influences, and being tied up in loose bundles, were generally worthless.

Most of the regular medicinal plants, then recognized in the dispensatories, and kept for sale by respectable druggists, were imported from Europe in a situation not convenient for retailing. To obviate these inconveniences, and believing a new and profitable branch of industry might be opened, the society, about sixty years since, commenced improvements in this line, and which, from its convenience and manifold advantages, met the approbation of the public.

A few years since, the increasing demand rendered the trade a profitable source of industry, and induced several persons of enterprise and capital to engage in the business. But most who engaged in it being destitute of the knowledge of the details of the business, employed seceders from this society, who had become acquainted with their manner of preparation, and who very properly adopted their improvements, and with them the very euphonious title of "Shaker Herbs," for their advertisements. Perhaps this was intended as a compliment to the society; or it may be to better meet the demands of the public. Some establishments, however, more scrupulously conscientious than others, have made purchases of a few medicines from the society, and made up the deficiency of "Shaker Herbs" by such collections as choice or necessity might dictate.

The society do not consider themselves amenable for the quality of such articles as have never passed their inspection, nor perhaps been within

150 miles of their establishment, although sold under their name; therefore it would be well for the public who confide in their experience and honesty, to ascertain, before purchasing, whether they are buying the genuine Shaker preparation, or an imitation, which, perhaps, may sometimes prove equally meritorious and worthy of patronage. We love to see a healthy competition in business, believing it necessary to the well-being of society, but object to a piracy of reputation.

The society at present are making improvements in gardens and apparatus to meet the progressive demands of the age, and are disposed to make suitable exertions and necessary expenditures to sustain the character and estimation they have long enjoyed.



"The best medical gardens in the United States are those established by the communities of Shakers, or modern Essenians, who cultivate and collect a great variety of medical plants. They sell them cheap, fresh and genuine.

Prof. C. S. RAFINESQUE."

BERKSHIRE MEDICAL INST.

Having examined numerous specimens of the extracts prepared by the "United Society," and having used some of them in my practice, I take great pleasure in certifying to their excellence.

Most of the plants from which these extracts are prepared are raised in the gardens of the society. They are gathered at the proper season, and care is taken in selecting the proper menstruum for each individual plant. The society adopt the new and improved method of evaporating in vacuo. Extracts are thus secured which will supply a desideratum in the materia medica long felt.

I most cheerfully recommend them to the profession.

H. H. CHILDS, M. D.,

Pres't Berkshire Med. Soc.

Pittsfield, Dec. 20, 1850.

I have for some time past been using vegetable extracts prepared by the United Society, New Lebanon, and find a manifest improvement in their mode of preparing in vacuo—being free from atmospheric influences, and rapidly evaporated to a proper consistence without impairing their medicinal properties by heat; that used never exceeding 120°.

I find them of uniform strength, and would confidently recommend them to the medical profession.

WILLARD CLOUGH, M. D.

Pittsfield, Mass., Jan. 21, 1851.